


VGN-S50B/S70B/S90PS/S90S
VGN-S150/S150F/S150FP/S150P/S170/S170B/S170F/S170P
VGN-S1HP/S1VP/S1XP
VGN-S16C/S16GP/S16LP/S16SP/S16TP/S17C/S18CP/S18GP/S18LP/S18SP/S18TP

SERVICE MANUAL

Ver. 6 2004H

Revision History

| Area | Model | Lineup |
|--------------------------------|---------------|--|
| Japanese | Japanese | VGN-S50B VGN-S70B VGN-S90PS* VGN-S90S* |
| American | US Canadian | VGN-S150 VGN-S150P VGN-S170* VGN-S170B* VGN-S170P* |
| | Latin | VGN-S150F VGN-S150FP VGN-S170F |
| European | AEP/UK | VGN-S1HP VGN-S1VP VGN-S1XP |
| Asian/Oceania/ South Africa | International | VGN-S16GP VGN-S18GP |
| | Thai | VGN-S16SP VGN-S18SP |
| | Korean | VGN-S16LP VGN-S18LP |
| | Chinese | VGN-S16C VGN-S17C VGN-S18CP |
| | Taiwan | VGN-S16TP VGN-S18TP |



- Design and specifications are subject to change without notice.
- 本機の仕様および外観は、改良のため予告なく変更することがあります。ご了承ください。

PERSONAL COMPUTER

SONY®

Information in this document is subject to change without notice.

Sony, VAIO and CLIE are trademarks or registered trademarks of Sony. Microsoft, Windows, Windows Media, Outlook, Bookshelf and other Microsoft products are trademarks or registered trademarks of Microsoft Corporation in the United States and other countries. The word Bluetooth and the Bluetooth logo are trademarks of Bluetooth SIG, Inc. AMD, AMD logo, AMD Duron and combinations thereof, 3DNow!, are trademarks of Advanced Micro Devices, Inc. Intel Inside logo, Pentium and Celeron are trademarks or registered trademarks of Intel Corporation. Transmeta, the Transmeta logo, Crusoe Processor, the Crusoe logo and combinations thereof are trademarks of Transmeta Corporation in the USA and other countries. Graffiti, HotSync, PalmModem, and Palm OS are registered trademarks, and the HotSync logo and Palm are trademarks of Palm, Inc. or its subsidiaries. (M) and Motrola are trademarks of Motrola, Inc. Other Motrola products and services with (R) mark like Dragoball are the trademarks of Motrola, Inc.

All other names of systems, products and services in this manual are trademarks or registered trademarks of their respective owners. In this manual, the (TM) or (R) mark are not specified.

Caution Markings for Lithium/Ion Battery - The following or similar texts shall be provided on battery pack of equipment or in both the operating and the service instructions.

CAUTION: Danger of explosion if battery is incorrectly replaced. Replace only with the same or equivalent type recommended by the manufacturer. Discard used batteries according to the manufacturer's instructions.

CAUTION: The battery pack used in this device may present a fire or chemical burn hazard if mis-treated. Do not disassemble, heat above 100°C (212°F) or incinerate. Dispose of used battery promptly. Keep away from children.

CAUTION: Changing the back up battery.

- Overcharging, short circuiting, reverse charging, multilati on or incineration of the cells must be avoided to prevent one or more of the following occurrences; release of toxic materials, release of hydrogen and/or oxygen gas, rise in surface temperature.
- If a cell has leaked or vented, it should be replaced immediately while avoiding to touch it without any protection.

Service and Inspection Precautions

1. Obey precautionary markings and instructions

Labels and stamps on the cabinet, chassis, and components identify are as requiring special precautions. Be sure to observe these precautions, as well as all precautions listed in the operating manual and other associated documents.

2. Use designated parts only

The set's components possess important safety characteristics, such as noncombustibility and the ability to tolerate large voltages. Be sure that replacement parts possess the same safety characteristics as the originals. Also remember that the \triangle mark, which appears in circuit diagrams and parts lists, denotes components that have particularly important safety functions; be extra sure to use only the designated components.

3. Always follow the original design when mounting parts and routing wires

The original layout includes various safety features, such as inclusion of insulating materials (tubes and tape) and the mounting of parts above the printer board. In addition, internal wiring has been routed and clamped so as to keep it away from hot or high-voltage parts. When mounting parts or routing wires, therefore, be sure to duplicate the original layout.

4. Inspect after completing service

After servicing, inspect to make sure that all screws, components, and wiring have been returned to their original condition. Also check the area around the repair location to ensure that repair work has caused no damage, and confirm safety.

5. When replacing chip components...

Never reuse components. Also remember that the negative side of tantalum capacitors is easily damaged by heat.

6. When handling flexible print boards...

- The temperature of the soldering-iron tip should be about 270°C.
- Do not apply the tip more than three times to the same pattern.
- Handle patterns with care; never apply force.

Caution: Remember that hard disk drives are easily damaged by vibration. Always handle with care.

ATTENTION AU COMPOSANT AYANT RAPPORT À LA SÉCURITÉ!

LES COMPOSANTS IDENTIFIÉS PAR UNE MARQUE \triangle SUR LES DIAGRAMMES SCHÉMATIQUES ET LA LISTE DES PIÈCES SONT CRITIQUES POUR LA SÉCURITÉ DE FONCTIONNEMENT. NE REMPLACER CES COMPOSANTS QUE PAR DES PIÈCES SONY DONT LES NUMÉROS SONT DONNÉS DANS CE MANUEL OU DANS LES SUPPÉMENTS PUBLIÉS PAR SONY.

Confidential

VGN-S50B/S70B/S90PS/S90S (J)

VGN-S150/S150F/S150FP/S150P/S170/S170B/S170F/S170P (AM)

VGN-S1HP/S1VP/S1XP (EU)

VGN-S16C/S16GP/S16LP/S16SP/S16TP/S17C/S18CP/S18GP/S18LP/S18SP/S18TP (AO)

TABLE OF CONTENTS

| Section | Title | Page | Section | Title | Page |
|---|-------------------------|------|---------|-------|------|
| CHAPTER 1. SPECIFICATIONS | | | | | |
| 1-1. | Specifications | 1-1 | | | |
| | (to 1-4) | | | | |
| CHAPTER 2. BLOCK DIAGRAM 2-1 | | | | | |
| | (to 2-1) | | | | |
| CHAPTER 3. FRAME HARNESS DIAGRAM 3-1 | | | | | |
| | (to 3-1) | | | | |
| CHAPTER 4. EXPLODED VIEWS AND PARTS LIST | | | | | |
| Palmrest | | | | | |
| P-1 | 4-2 | | | | |
| Main Board | | | | | |
| M-1 | 4-4 | | | | |
| Bottom | | | | | |
| B-1 | 4-6 | | | | |
| LCD | | | | | |
| L-1. 13.3-inch WXGA (Brighter) | 4-8 | | | | |
| L-2. 13.3-inch WXGA | 4-10 | | | | |
| Accessories | | | | | |
| A-1 | 4-12 | | | | |
| | (to 4-12) | | | | |
| CHAPTER 5. OTHERS | | | | | |
| 5-1. | The Barcode Label | 5-1 | | | |
| 5-2. | Replacing the CPU | 5-2 | | | |
| | (to 5-2) | | | | |

History of the changes is shown as the "Revision History" at the end of this data.

変更履歴は、"Revision History"として、本データ末に記載しております。

Confidential

VGN-S50B/S70B/S90PS/S90S (J)

VGN-S150/S150F/S150FP/S150P/S170/S170B/S170F/S170P (AM)

VGN-S1HP/S1VP/S1XP (EU)

VGN-S16C/S16GP/S16LP/S16SP/**S16TP**/S17C/S18CP/S18GP/S18LP/S18SP/S18TP (AO)

CHAPTER 1.

SPECIFICATIONS

1-1. Specifications

| | J | | J-CTO | | AM | | | | |
|--------------------------|---|---|---|--|----------------------|----------------------|----------------------|----------------------|----------------------|
| CPU | VGN-S70B | VGN-S50B | VGN-S90PS* | VGN-S90S* | VGN-S150P | VGN-S150 | VGN-S150FP | VGN-S150F | VGN-S170F |
| | PM-1.5GHz | Cel M-1.3GHz | PM-1.8GHz or PM-1.5GHz or Cel M-1.3GHz | PM-1.8GHz or PM-1.5GHz or Cel M-1.3GHz | PM-1.6GHz | PM-1.6GHz | PM-1.6AGHz | PM-1.6AGHz | PM-1.6AGHz |
| ChipSet | 855PM | 855PM | 855PM | 855PM | 855PM | 855PM | 855PM | 855PM | 855PM |
| Graphic | M9+X (32MB) | M9+X (32MB) | M9+X(32MB) or M11-P(64MB) | M9+X(32MB) or M11-P(64MB) | M9+X(32MB) | M9+X (32MB) | M9+X (32MB) | M9+X (32MB) | M9+X (32MB) |
| LCD | 13.3 WXGA (Brighter) | 13.3 WXGA (Brighter) | 13.3 WXGA (Brighter) or 13.3 WXGA | 13.3 WXGA (Brighter) or 13.3 WXGA | 13.3 WXGA (Brighter) |
| HDD | 40GB | 40GB | 60GB or 40GB | 60GB or 40GB | 60GB | 60GB | 40GB | 40GB | 40GB |
| MEMORY (DDR333 uDIMM) | 256MBx1 | 256MBx1 | 1GB(512x2) or 512MB(512x1) or 256MB(256x1) | 1GB(512x2) or 512MB(512x1) or 256MB(256x1) | 256MBx2 | 256MBx2 | 256MBx2 | 256MBx2 | 256MBx2 |
| QUANTITY[MAX] | 1024MB | 1024MB | 1024MB | 1024MB | 1024MB | 1024MB | 1024MB | 1024MB | 1024MB |
| AVAILABLE SLOT(STANDARD) | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| OPT-DRIVE | 9.5 DVD-RW | 9.5 DVD-RW | 9.5 DVD-RW or 9.5 DVD/CD-RW | 9.5 DVD-RW or 9.5 DVD/CD-RW | 9.5 DVD/CD-RW | 9.5 DVD/CD-RW | 9.5 DVD/CD-RW | 9.5 DVD/CD-RW | 9.5 DVD-RW |
| int. Wireress LAN | 802.11b/g | 802.11b/g | 802.11b/g | 802.11b/g | 802.11b/g | 802.11b/g | 802.11b/g | 802.11b/g | 802.11b/g |
| AC adaptor | PCGA-AC16V6 | PCGA-AC16V6 | PCGA-AC16V6 | PCGA-AC16V6 | PCGA-AC16V6 | PCGA-AC16V6 | PCGA-AC16V6 | PCGA-AC16V6 | PCGA-AC16V6 |
| Battery | VGP-BPS2 | VGP-BPS2 | VGP-BPS2 | VGP-BPS2 | VGP-BPS2 | VGP-BPS2 | VGP-BPS2 | VGP-BPS2 | VGP-BPS2 |
| Bluetooth | ○ | x | ○ or x | ○ or x | x | x | x | x | x |
| OS | Win XP Home | Win XP Home | XP Pro | XP Home | Win XP Pro | Win XP Home | Win XP Pro | Win XP Home | Win XP Home |
| | | | | | | △ [MA] | △ [MA] | △ [MA] | |
| | U-CTO | | | EU | | | AO | | |
| CPU | VGN-S170B* | VGN-S170P* | VGN-S170* | VGN-S1XP | VGN-S1VP | VGN-S1HP | VGN-S18GP | VGN-S16GP | VGN-S18LP |
| | PM-2.0A or PM-1.8 or PM-1.7A or PM-1.5 or Cel M-1.4 | PM-2.0A or PM-1.8 or PM-1.7A or PM-1.5 or Cel M-1.4 | PM-2.0A or PM-1.8 or PM-1.7A or PM-1.5 or Cel M-1.4 | PM-1.7AGHz | PM-1.7AGHz | PM-1.5AGHz | PM-1.6GHz | PM-1.5GHz | PM-1.6GHz |
| ChipSet | 855PM | 855PM | 855PM | 855PM | 855PM | 855PM | 855PM | 855PM | 855PM |
| Graphic | M9+X (32MB) or M11-P (64MB) | M9+X (32MB) or M11-P (64MB) | M9+X (32MB) or M11-P (64MB) | M11-P (64MB) | M9+X (32MB) |
| LCD | 13.3 WXGA (Brighter) or 13.3 WXGA | 13.3 WXGA (Brighter) or 13.3 WXGA | 13.3 WXGA (Brighter) or 13.3 WXGA | 13.3 WXGA (Brighter) | 13.3 WXGA (Brighter) | 13.3 WXGA (Brighter) | 13.3 WXGA (Brighter) | 13.3 WXGA (Brighter) | 13.3 WXGA (Brighter) |
| HDD | 40GB or 60GB or 80GB(4.2Krpm) or 80GB(5.4Krpm) | 40GB or 60GB or 80GB(4.2Krpm) or 80GB(5.4Krpm) | 40GB or 60GB or 80GB(4.2Krpm) or 80GB(5.4Krpm) | 60GB | 60GB | 40GB | 60GB | 40GB | 60GB |
| MEMORY (DDR333 uDIMM) | 512MBx2 or 512MBx1 or 256MBx2 or 256MBx1 | 512MBx2 or 512MBx1 or 256MBx2 or 256MBx1 | 512MBx2 or 512MBx1 or 256MBx2 or 256MBx1 | 512MBx1 | 512MBx1 | 512MBx1 | 512MBx1 | 256MBx1 | 512MBx1 |
| QUANTITY[MAX] | 1024MB | 1024MB | 1024MB | 2 | 2 | 2 | 2 | 2 | 2 |
| AVAILABLE SLOT(STANDARD) | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| OPT-DRIVE | 9.5 DVD-RW or 9.5 DVD/CD-RW | 9.5 DVD-RW or 9.5 DVD/CD-RW | 9.5 DVD-RW or 9.5 DVD/CD-RW | 9.5 DVD-RW | 9.5 DVD-RW | 9.5 DVD/CD-RW | 9.5 DVD-RW | 9.5 DVD/CD-RW | 9.5 DVD-RW |
| int. Wireress LAN | 802.11b/g or None | 802.11b/g or None | 802.11b/g or None | 802.11b/g | 802.11b/g | 802.11b/g | 802.11b.g | 802.11b/g | 802.11b/g |
| AC adaptor | PCGA-AC16V6 | PCGA-AC16V6 | PCGA-AC16V6 | PCGA-AC16V6 | PCGA-AC16V6 | PCGA-AC16V6 | PCGA-AC16V6 | PCGA-AC16V6 | PCGA-AC16V6 |
| Battery | VGP-BPS2 or VGP-BPL2 | VGP-BPS2 or VGP-BPL2 | VGP-BPS2 or VGP-BPL2 | VGP-BPS2, VGP-BPL2 | VGP-BPS2, VGP-BPL2 | VGP-BPS2, VGP-BPL2 | VGP-BPS2, VGP-BPL2 | VGP-BPS2, VGP-BPL2 | VGP-BPS2, VGP-BPL2 |
| Bluetooth | ○ or x | ○ or x | ○ or x | ○ | ○ | ○ | x | x | x |
| OS | Win XP Pro(SMB) | Win XP Pro | Win XP Home | Win XP Pro | Win XP Pro | Win XP Pro | Win XP Pro | Win XP Pro | Win XP Pro |
| | | | | | | △ [MA] | △ [MA] | △ [MA] | |

* The trademarks of registered trademarks of above table, refer to page 2.

• The model that is accompanied by asterisk (*) is the CTO model.

• 本表中の商標・登録商標については、2ページをご参照ください。

• 機種名に (*) がつくものはCTOモデルです。

組み合わせについてはCTO Informationをご確認ください。

Confidential

VGN-S50B/S70B/S90PS/S90S (J)

VGN-S150/S150F/S150FP/S150P/S170/S170B/S170F/S170P (AM)

VGN-S11P/S1VP/S1XP (EU)

VGN-S16C/S16GP/S16LP/S16SP/S16TP/S17C/S18CP/S18GP/S18LP/S18SP/S18TP (AO)

| | AO | | | | | | | |
|---------------------------------|----------------------|----------------------|----------------------|----------------------|-----------------------------|----------------------|----------------------|----------------------|
| CPU | VGN-S16LP | VGN-S18SP | VGN-S16SP | VGN-S18TP | VGN-S16TP | VGN-S18CP | VGN-S17C | VGN-S16C |
| ChipSet | PM-1.5GHz | PM-1.6GHz | PM-1.5GHz | PM-1.6GHz | PM-1.5GHz | PM-1.6GHz | PM-1.6GHz | PM-1.5GHz |
| Graphic | 855PM | 855PM | 855PM | 855PM | 855PM | 855PM | 855PM | 855PM |
| LCD | M9+X (32MB) | M9+X (32MB) | M9+X (32MB) | M9+X (32MB) | M9+X (32MB) | M9+X (32MB) | M9+X (32MB) | M9+X (32MB) |
| HDD | 13.3 WXGA (Brighter) | 13.3 WXGA (Brighter) | 13.3 WXGA (Brighter) | 13.3 WXGA (Brighter) | 13.3 WXGA (Brighter) | 13.3 WXGA (Brighter) | 13.3 WXGA (Brighter) | 13.3 WXGA (Brighter) |
| MEMORY (DDR333 uDIMM) | 40GB | 60GB | 40GB | 60GB | 40GB | 60GB | 40GB | 40GB |
| QUANTITY[MAX] | 256MBx1 | 512MBx1 | 256MBx1 | 512MBx1 | 256MBx1 | 512MBx1 | 256MBx1 | 256MBx1 |
| AVAILABLE SLOT(STANDARD) | 1024MB | 1024MB | 1024MB | 1024MB | 1024MB | 1024MB | 1024MB | 1024MB |
| OPT-DRIVE | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| int. Wireress LAN | 9.5 DVD/CD-RW | 9.5 DVD-RW | 9.5 DVD/CD-RW | 9.5 DVD-RW | 9.5 DVD/CD-RW | 9.5 DVD-RW | 9.5 DVD/CD-RE | 9.5 DVD/CD-RW |
| AC adaptor | 802.11b/g | 802.11b/g | 802.11b/g | 802.11b/g | 802.11b/g | 802.11b/g | 802.11b/g | 802.11b/g |
| Battery | PCGA-AC16V6 | PCGA-AC16V6 | PCGA-AC16V6 | PCGA-AC16V6 | PCGA-AC16V6 | PCGA-AC16V6 | PCGA-AC16V6 | PCGA-AC16V6 |
| Bluetooth | VGP-BPS2 | VGP-BPS2 | VGP-BPS2 | VGP-BPS2 | VGP-BPS2 | VGP-BPS2 | VGP-BPS2 | VGP-BPS2 |
| OS | Win XP Pro | Win XP Pro | Win XP Pro | Win XP Pro | Win XP Pro | Win XP Pro | Win XP Home | Win XP Home |

△ [MA]

• The trademarks of registered trademarks of above table, refer to page 2.

• The model that is accompanied by asterisk (*) is the CTO model.

• 本表中の商標・登録商標については、2ページをご参照ください。

• 機種名に (*) がつくものはCTOモデルです。

組み合わせについてはCTO Informationをご確認ください。

△ [MA]

Confidential

VGN-S50B/S70B/S90PS/S90S (J)

VGN-S150/S150F/S150FP/S150P/S170/S170B/S170F/S170P (AM)

VGN-S11P/S1VP/S1XP (EU)

VGN-S16C/S16GP/S16LP/S16SP/S16TP/S17C/S18CP/S18GP/S18LP/S18SP/S18TP (AO)

1-2. CTO Information

Model name:VGN-S90PS
 Model number:PCG-6C1N or 6C2N
 OS:Windows XP Pro
 Ver.1.0

| | | |
|-----------|---|---|
| M/B | MBX-109 (M11_64) A-1072-470-A COMPLETE PWB MBX-109 (M11_64) | MBX-109 (M9_32) A-1072-469-A COMPLETE PWB MBX-109 (M9_32) |
| CPU | Pen-M 1.8G 6-600-306-01 IC RH80536GC0332MSL7EN | Pen-M 1.5G 6-600-304-01 IC RH80535GC0211MSL6F9 |
| HDD | 60GB A-1065-523-A ASSY HDD 60GB (-21) (H.40) (S) | 40GB A-1065-524-A ASSY HDD 40GB (-21) (H.40) (S) |
| LCD | 13.3 WXGA (Brighter) A-1072-481-A LCD UNIT (13.3 WXGA TFT) | 13.3 WXGA (Normal) A-1072-480-A LCD UNIT (13.3 WXGA TFT) NORMAL |
| Memory | 1GB(512Mx2) A-1072-503-Ax2 COMPLETE PWB MM-9A | 512MB(512Mx1) A-1072-503-A COMPLETE PWB MM-9A |
| Opt.Drive | Combo 1-796-822-12 COMBO DRIVE (UJDA755.9.5MM) | DVD-RW 1-796-892-13 DVDRW (UJ-812.9.5MM) |
| W-LAN | Available 1-761-864-23 WIRELESS LAN CARD | |
| Bluetooth | Available 1-805-554-11 BLUETOOTH MODULE | None |
| Battery | standard A-1072-505-A BATTERY PACK BPS2 (J) (S) | |
| Office | 2003 Personal | None |

Model name:VGN-S90S
 Model number:PCG-6C1N or 6C2N
 OS:Windows XP Home
 Ver.1.0

| | | |
|-----------|---|---|
| M/B | MBX-109 (M11_64) A-1072-470-A COMPLETE PWB MBX-109 (M11_64) | MBX-109 (M9_32) A-1072-469-A COMPLETE PWB MBX-109 (M9_32) |
| CPU | Pen-M 1.8G 6-600-306-01 IC RH80536GC0332MSL7EN | Pen-M 1.5G 6-600-304-01 IC RH80535GC0211MSL6F9 |
| HDD | 60GB A-1065-523-A ASSY HDD 60GB (-21) (H.40) (S) | 40GB A-1065-524-A ASSY HDD 40GB (-21) (H.40) (S) |
| LCD | 13.3 WXGA (Brighter) A-1072-481-A LCD UNIT (13.3 WXGA TFT) | 13.3 WXGA (Normal) A-1072-480-A LCD UNIT (13.3 WXGA TFT) NORMAL |
| Memory | 1GB(512Mx2) A-1072-503-Ax2 COMPLETE PWB MM-9A | 512MB(512Mx1) A-1072-503-A COMPLETE PWB MM-9A |
| Opt.Drive | Combo 1-796-822-12 COMBO DRIVE (UJDA755.9.5MM) | DVD-RW 1-796-892-13 DVDRW (UJ-812.9.5MM) |
| W-LAN | Available 1-761-864-23 WIRELESS LAN CARD | |
| Bluetooth | Available 1-805-554-11 BLUETOOTH MODULE | None |
| Battery | standard A-1072-505-A BATTERY PACK BPS2 (J) (S) | |
| Office | 2003 Personal | None |

Confidential

VGN-S50B/S70B/S90PS/S90S (J)
 VGN-S150/S150F/S150FP/S150P/S170/S170B/S170F/S170P (AM)
 VGN-S11P/S1VP/S1XP (EU)
 VGN-S16C/S16GP/S16LP/S16SP/S16TP/S17C/S18CP/S18GP/S18LP/S18SP/S18TP (AO)

Model name:VGN-S170
 Model number:PCG-6C1L,6C2L,6C3L
 OS:Windows XP Home
 Ver.1.0

| | | | | | |
|------------------|---|---|---|--|---|
| M/B | MBX-109(M11_64) A-1072-470-A COMPLETE PWB MBX-109 (M11_64) | MBX-109(M9_32) A-1072-469-A COMPLETE PWB MBX-109 (M9_32) | | | |
| CPU | Pen-M 2.0GHz 6-706-559-01 IC RH80536GC0412MSL7EM | Pen-M 1.8GHz 6-600-306-01 IC RH80536GC0332MSL7EN | Pen-M 1.70AGHz 6-600-343-01 IC RH80536GC0292MSL7EP | Pen-M 1.5AGHz 6-600-368-01 IC RH80536GC0212MSL7GL | Cel-M 1.4GHz 6-706-572-01 IC RH80535NC017512 |
| HDD | 80GB (5400rpm) A-1062-140-A HDD (80GB,HTS548080M9AT00) (S) | 80GB (4200rpm) A-8117-058-A ASSY HDD 80GB (H.40) (S) | 60GB A-1065-523-A ASSY HDD 60GB (-21) (H.40) (S) | 40GB A-1065-524-A ASSY HDD 40GB (-21) (H.40) (S) | |
| LCD | 13.3 WXGA (Brighter) A-1072-481-A LCD UNIT(13.3 WXGA TFT) | 13.3 WXGA (Normal) A-1072-480-A LCD UNIT(13.3 WXGA TFT) NORMAL | | | |
| Memory | 1GB(512Mx2) A-1072-503-Ax2 COMPLETE PWB MM-9A | 512MB(256Mx2) A-1072-479-Ax2 COMPLETE PWB MM-11A | 512MB A-1072-503-A COMPLETE PWB MM-9A | 256MB A-1072-479-A COMPLETE PWB MM-11A | |
| Opt.Drive | Combo 1-796-822-12 COMBO DRIVE (UJDA755.9.5MM) | DVD-RW 1-796-892-13 DVDRW (UJ-812.9.5MM) | | | |
| W-LAN | Available 1-761-864-13 WIRELESS LAN CARD | None | | | |
| Bluetooth | 802.11b/g 1-805-554-11 BLUETOOTH MODULE | None | | | |
| Battery | standard A-1072-506-A BATTERY PACK BPS2 (U) (S) | LLL A-1072-509-A BATTERY PACK BPL2 (U) (S) | | | |

Model name:VGN-S170P
 Model number:PCG-6C1L,6C2L,6C3L
 OS:Windows XP Pro
 Ver.1.0

| | | | | | |
|------------------|---|---|---|--|---|
| M/B | MBX-109(M11_64) A-1072-470-A COMPLETE PWB MBX-109 (M11_64) | MBX-109(M9_32) A-1072-469-A COMPLETE PWB MBX-109 (M9_32) | | | |
| CPU | Pen-M 2.0GHz 6-600-559-01 IC RH80536GC0412MSL7EM | Pen-M 1.8GHz 6-600-306-01 IC RH80536GC0332MSL7EN | Pen-M 1.70AGHz 6-600-343-01 IC RH80536GC0292MSL7EP | Pen-M 1.5AGHz 6-600-368-01 IC RH80536GC0212MSL7GL | Cel-M 1.4GHz 6-706-572-01 IC RH80535NC017512 |
| HDD | 80GB (5400rpm) A-1062-140-A HDD (80GB,HTS548080M9AT00) (S) | 80GB (4200rpm) A-8117-058-A ASSY HDD 80GB (H.40) (S) | 60GB A-1065-523-A ASSY HDD 60GB (-21) (H.40) (S) | 40GB A-1065-524-A ASSY HDD 40GB (-21) (H.40) (S) | |
| LCD | 13.3 WXGA (Brighter) A-1072-481-A LCD UNIT(13.3 WXGA TFT) | 13.3 WXGA (Normal) A-1072-480-A LCD UNIT(13.3 WXGA TFT) NORMAL | | | |
| Memory | 1GB(512Mx2) A-1072-503-Ax2 COMPLETE PWB MM-9A | 512MB(256Mx2) A-1072-479-Ax2 COMPLETE PWB MM-11A | 512MB A-1072-503-A COMPLETE PWB MM-9A | 256MB A-1072-479-A COMPLETE PWB MM-11A | |
| Opt.Drive | Combo 1-796-822-12 COMBO DRIVE (UJDA755.9.5MM) | DVD-RW 1-796-892-13 DVDRW (UJ-812.9.5MM) | | | |
| W-LAN | Available 1-761-864-13 WIRELESS LAN CARD | None | | | |
| Bluetooth | 802.11b/g 1-805-554-11 BLUETOOTH MODULE | None | | | |
| Battery | standard A-1072-506-A BATTERY PACK BPS2 (U) (S) | LLL A-1072-509-A BATTERY PACK BPL2 (U) (S) | | | |

Model name:VGN-S170B
 Model number:PCG-6C1L,6C2L,6C3L
 OS:Windows XP Pro(SMB)

| | | | | | |
|------------------|---|---|---|--|---|
| M/B | MBX-109(M11_64) A-1072-470-A COMPLETE PWB MBX-109 (M11_64) | MBX-109(M9_32) A-1072-469-A COMPLETE PWB MBX-109 (M9_32) | | | |
| CPU | Pen-M 2.0GHz 6-706-559-01 IC RH80536GC0412MSL7EM | Pen-M 1.8GHz 6-600-306-01 IC RH80536GC0332MSL7EN | Pen-M 1.70AGHz 6-600-343-01 IC RH80536GC0292MSL7EP | Pen-M 1.5AGHz 6-600-368-01 IC RH80536GC0212MSL7GL | Cel-M 1.4GHz 6-706-572-01 IC RH80535NC017512 |
| HDD | 80GB (5400rpm) A-1062-140-A HDD (80GB,HTS548080M9AT00) (S) | 80GB (4200rpm) A-8117-058-A ASSY HDD 80GB (H.40) (S) | 60GB A-1065-523-A ASSY HDD 60GB (-21) (H.40) (S) | 40GB A-1065-524-A ASSY HDD 40GB (-21) (H.40) (S) | |
| LCD | 13.3 WXGA (Brighter) A-1072-481-A LCD UNIT(13.3 WXGA TFT) | 13.3 WXGA (Normal) A-1072-480-A LCD UNIT(13.3 WXGA TFT) NORMAL | | | |
| Memory | 1GB(512Mx2) A-1072-503-Ax2 COMPLETE PWB MM-9A | 512MB(256Mx2) A-1072-479-Ax2 COMPLETE PWB MM-11A | 512MB A-1072-503-A COMPLETE PWB MM-9A | 256MB A-1072-479-A COMPLETE PWB MM-11A | |
| Opt.Drive | Combo 1-796-822-12 COMBO DRIVE (UJDA755.9.5MM) | DVD-RW 1-796-892-13 DVDRW (UJ-812.9.5MM) | | | |
| W-LAN | Available 1-761-864-13 WIRELESS LAN CARD | None | | | |
| Bluetooth | 802.11b/g 1-805-554-11 BLUETOOTH MODULE | None | | | |
| Battery | standard A-1072-506-A BATTERY PACK BPS2 (U) (S) | LLL A-1072-509-A BATTERY PACK BPL2 (U) (S) | | | |

Confidential


VGN-S50B/S70B/S90PS/S90S (J)

VGN-S150/S150F/S150FP/S150P/S170/S170B/S170F/S170P (AM)

VGN-S11P/S1VP/S1XP (EU)

VGN-S16C/S16GP/S16LP/S16SP/S16TP/S17C/S18CP/S18GP/S18LP/S18SP/S18TP (AO)

CHAPTER 2. BLOCK DIAGRAM



Confidential


VGN-S50B/S70B/S90PS/S90S (J)

VGN-S150/S150F/S150FP/S150P/S170/S170B/S170F/S170P (AM)

VGN-S11P/S1VP/S1XP (EU)

VGN-S16C/S16GP/S16LP/S16SP/S16TP/S17C/S18CP/S18GP/S18LP/S18SP/S18TP (AO)

CHAPTER 3.



Confidential

VGN-S50B/S70B/S90PS/S90S (J)

S170/S170B/S170F/S170P (AM)

VGN-S100/S100P/S100P/S100P (EU)

CHAPTER 4.

EXPLODED VIEWS AND PARTS LIST

- The parts list is compiled by blocks of a palmrest and bottom etc.
The sections of the parts list are different depending on the model.
Please refer to list of contents shown in the below.

- 分解図と部品表は、パームレスト、ボトムなどのブロックごとに分かれています。機種によって部品表のセクションが異なりますので、詳細は右下の一覧表を参照してください。

| Section | Page |
|--------------------------------|------|
| Palmrest | |
| P-1 | 4-2 |
| Main Board | |
| M-1 | 4-4 |
| Bottom | |
| B-1 | 4-6 |
| LCD | |
| L-1. 13.3-inch WXGA (Brighter) | 4-8 |
| L-2. 13.3-inch WXGA | 4-10 |
| Accessory | |
| A-1 | 4-12 |

NOTE:

- Items marked "*" are not stocked since they are seldom required for routine service. Some delay should be anticipated when ordering these items.
- The mechanical parts with no reference number in the exploded views are not supplied.
- When two or more parts are shown, use the part described first as the main part.
- The parts marked "\$" are the High Value Modules (HVM).
- The parts marked "#" are the parts on which barcode label is attached. For the barcode label, refer to CHAPTER 5.
- The parts marked "&" are the "Customer Replaceable Parts (CRP)" that can be replaced by Field Customer Support. Especially the parts with the <&> mark require the special attention to use them. Here fore, check first whether the desired part is one of the targetted parts of the Customer Replaceable Parts (CRP), or the non-targetted parts by referring to the exploded view.


The components identified by mark △ or dotted line with mark △ are critical for safety. Replace only with part number specified.

Les composants identifiés par une marque △ sont critiques pour la sécurité. Ne les remplacer que par une pièce portant le numéro spécifié.

【使用上の注意】

- *印の部品は常備在庫しておりません。
- 図面番号のない部品は供給しません。
- 併記部品の場合、上部記載部品をメイン部品として使用してください。
- 部品名称の前に\$印のついた部品は、High Value Module (HVM) です。
- 商品名称の前に#印のついた部品は、バーコードラベル貼付部品です。バーコードラベルについてはCHAPTER 5を参照してください。
- 部品名称の前に&印のついた部品は、お客様窓口などでも交換可能なCustomer Replaceable Part (CRP) です。特に&印のついた部品は、使い分けが必要な部品ですので、分解図でCustomer Replaceable Parts対象部品か、対象外部品かを必ず御確認ください。

△印の部品、または△印付きの点線で囲まれた部品は、安全性を維持するため重要な部品です。従って交換時は、必ず指定の部品を使用して下さい。



| | | Palmrest | Main Board | Bottom | LCD | Accessory |
|----|--------|----------|------------|--------|--------|-----------|
| J | S70B | P-1 | M-1 | B-1 | L-1 | A-1 |
| | S50B | P-1 | M-1 | B-1 | L-1 | A-1 |
| | S90PS* | P-1 | M-1 | B-1 | L-1, 2 | A-1 |
| | S90S* | P-1 | M-1 | B-1 | L-1, 2 | A-1 |
| AM | S150P | P-1 | M-1 | B-1 | L-1 | A-1 |
| | S150 | P-1 | M-1 | B-1 | L-1 | A-1 |
| | S170* | P-1 | M-1 | B-1 | L-1, 2 | A-1 |
| | S170B* | P-1 | M-1 | B-1 | L-1, 2 | A-1 |
| | S170P* | P-1 | M-1 | B-1 | L-1, 2 | A-1 |
| | S150FP | P-1 | M-1 | B-1 | L-1 | A-1 |
| EU | S150F | P-1 | M-1 | B-1 | L-1 | A-1 |
| | S170F | P-1 | M-1 | B-1 | L-1 | A-1 |
| | S1XP | P-1 | M-1 | B-1 | L-1 | A-1 |
| AO | S1VP | P-1 | M-1 | B-1 | L-1 | A-1 |
| | S1HP | P-1 | M-1 | B-1 | L-1 | A-1 |
| | S18GP | P-1 | M-1 | B-1 | L-1 | A-1 |
| AO | S16GP | P-1 | M-1 | B-1 | L-1 | A-1 |
| | S18LP | P-1 | M-1 | B-1 | L-1 | A-1 |
| | S16LP | P-1 | M-1 | B-1 | L-1 | A-1 |
| AO | S18SP | P-1 | M-1 | B-1 | L-1 | A-1 |
| | S16SP | P-1 | M-1 | B-1 | L-1 | A-1 |
| | S18TP | P-1 | M-1 | B-1 | L-1 | A-1 |
| AO | S16TP | P-1 | M-1 | B-1 | L-1 | A-1 |
| | S18CP | P-1 | M-1 | B-1 | L-1 | A-1 |
| | S17C | P-1 | M-1 | B-1 | L-1 | A-1 |
| AO | S16C | P-1 | M-1 | B-1 | L-1 | A-1 |

* : CTO model

Confidential


VGN-S50B/S70B/S90PS/S90S (J)

VGN-S150/S150F/S150FP/S170/S170B/S170F/S170P (AM)

VGN-S1HP/S1VP/S1XP (EU)

VGN-S16C/S16GP/S16LP/S16SP/S16TP/S17C/S18CP/S18GP/S18LP/S18SP/S18TP (AO)

P-1. Palmrest



●1 The form and the printing of LED cover differs for every part number.


4-683-211-01 COVER LED



4-683-211-11 COVER LED



2-023-991-11 COVER (LED) (W/O) (WL)



Confidential

VGN-S50B/S70B/S90PS/S90S (J)
VGN-S150/S150F/S150FP/S150P/S170/S170B/S170F/S170P (AM)
VGN-S11P/S1VP/S1XP (EU)

VGN-S16C/S16GP/S16LP/S16SP/S16TP/S17C/S18CP/S18GP/S18LP/S18SP/S18TP (AO)

P-1. Palmrest

| Ref. No. | Part No. | Description |
|----------|-----------------|--|
| 2 | X-4626-772-2 | ASSY PALMREST |
| 3 | 1-829-196-11 | CABLE, FLEXIBLE FLAT (10PIN) |
| 4 | 1-829-198-11 | CABLE, FLEXIBLE FLAT (10PIN) |
| 5 | 1-829-195-11 | CABLE, FLEXIBLE FLAT (12PIN) |
| 6 | 1-829-197-11 | CABLE, FLEXIBLE FLAT (16PIN) |
| 7 | A-1072-475-A \$ | COMPLETE PWB LEX-61 (S) |
| 8 | A-1072-476-A \$ | COMPLETE PWB SWX-172 (S) |
| 9 | A-1072-477-A \$ | COMPLETE PWB SWX-173 (S) |
| 11 | 4-683-212-01 | COVER PALM |
| 12 | 4-654-440-22 | CUSHION (PALM) |
| 13 | 4-662-881-02 | CUSHION, KEY BOARD |
| 15 | 2-148-163-02 | SHEET LED OTHER |
| 16 | 1-825-846-11 | SPEAKER WITH BOX (L) |
| 17 | 1-825-846-21 | SPEAKER WITH BOX (R) |
| 19 | 1-796-958-11 | TOUCH PAD |
| 20 | 4-683-209-02 | HOLDER TP ← |
| 21 | 4-683-210-01 | PLATE TP GND   [DEL] |
| 22 | 4-672-493-01 | COVER (SC) |

 [COR]
X-4626-773-2

ASSY HOLDER TP

| Ref. No. | Part No. | Description | J | AM | EU | AO |
|----------|--------------|--------------------------------|---|---|---|---|
| 10 | 4-683-211-01 | COVER LED |  | | | |
| | 4-683-211-11 | COVER LED |  |  |  |  |
| | 2-023-991-01 | COVER (LED) (W/O) (WL) | | | | |
| 14 | 1-478-713-12 | # KEYBOARD UNIT (JP) |  |  | | |
| | 1-478-713-22 | # KEYBOARD UNIT (US) |  |  |  | |
| | 1-478-716-72 | # KEYBOARD UNIT (LA) | |  |  | |
| | 1-478-716-12 | # UKL KEYBOARD UNIT (GB) | |  |  | |
| | 1-478-716-22 | # GERM KEYBOARD UNIT (DE) | |  |  | |
| | 1-478-716-52 | # JWSNL KEYBOARD UNIT (CH) | |  |  | |
| | 1-478-716-42 | # French KEYBOARD UNIT (FR) | |  |  | |
| | 1-478-716-52 | # Italian KEYBOARD UNIT (IT) | |  |  | |
| | 1-478-716-62 | # (Spanish) KEYBOARD UNIT (ES) | |  |  | |
| | 1-478-716-82 | # (EC) KEYBOARD UNIT (SE) | |  |  | |
| | 1-478-716-92 | # (EFTA) KEYBOARD UNIT (PT) | |  |  | |
| | 1-478-713-32 | # KEYBOARD UNIT (KR) | |  |  | |
| | 1-478-713-42 | # KEYBOARD UNIT (TH) | |  |  | |
| | 1-478-713-52 | # KEYBOARD UNIT (TW) | |  |  | |
| 18 | 4-683-214-02 | SWITCH WL |  |  |  |  |

 [MA]












































































<br

M-1. Main Board



Confidential

VGN-S50B/S70B/S90PS/S90S (J)

VGN-S150/S150F/S150FP/S150P/S170/S170B/S170F/S170P (AM)

VGN-S1HP/S1VP/S1XP (EU)

VGN-S16C/S16GP/S16LP/S16SP/S16TP/S17C/S18CP/S18GP/S18LP/S18SP/S18TP (AO)

M-1. Main Board


| Ref. No. | Part No. | Description |
|----------|-----------------|--------------------------------|
| 13 | 4-662-881-02 | CUSHION, KEY BOARD |
| 22 | 4-672-493-01 | COVER (SC) |
| 301 | 1-756-038-21 | BATTERY, NICKEL HYDROGEN |
| 304 | 1-761-606-14 | CARD, MODEM |
| 307 | A-1072-473-A \$ | COMPLETE PWB IFX-311 (S) |
| 310 | 1-794-548-21 | CONNECTOR, USB(A) |
| 312 | 1-787-166-12 | D.C. FAN |
| 313 | 4-683-176-01 | ESCUTCHEON MS |
| 314 | 1-962-758-11 | HARNESS, RJ-45/11 |
| 315 | 4-683-233-01 | HEATSINK UNIT |
| 319 | 4-655-326-01 | OFF, STAND |
| 320 | 2-023-990-01 | SHEET (THERMAL) |
| 321 | 2-059-468-01 | SHEET MDC |
| 322 | 4-677-165-01 | SHEET MEMORY |
| 323 | 2-109-082-01 | SHEET MS |
| 324 | 2-109-080-01 | SHEET RJ-CON |
| 325 | 2-059-469-01 | SHEET USB |
| 326 | 4-651-989-51 | SPACER (MBX) |
| 327 | 2-102-944-01 | SPRING HEATSINK |
| 328 | 2-050-130-01 | STAND (OFF) |
| 330 | 2-148-340-01 | CAUTION (LABEL) (MEMORY) |
| B3 | 4-672-836-01 | SCREW, M2 SPECIAL HEAD,EG GRIP |
| B4 | 4-672-834-51 | SCREW, +B EG GRIP |
| B5 | 2-050-159-01 | M2 SPECIAL HEAD D7,T1 |

| Ref. No. | Part No. | Description | J | S70B | S50B | S90PS* | S90S* | S150P | S150 | S170* | S170B* | S150FP | S150F | S170F | S1XP | S1VP | S1HP | S18GP | S16GP | S18LP | S16SP | S18TP | S16TP | S18CP | S17C | S16C | |
|----------|-------------------|---------------------------------|---|------|------|--------|-------|-------|------|-------|--------|--------|-------|-------|------|------|------|-------|-------|-------|-------|-------|-------|-------|------|------|--|
| 302 | 1-805-554-11 | BLUETOOTH MODULE | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | |
| 303 | 1-829-369-11 | CABLE, COAXIAL (WITH U.F.L CON) | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| 305 | A-1072-469-A \$ # | COMPLETE MBX109 (M9_32)(S) | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | |
| | A-1072-470-A \$ # | COMPLETE MBX109 (M11_64)(S) | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | |
| 309 | A-1072-479-A \$ # | COMPLETE PWB MM-11A (S) | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | |
| | A-1072-503-A \$ # | COMPLETE PWB MM-9A (S) | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | |
| 316 | 6-600-304-01 | IC RH-80535GC0211MSL6F9 | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| | 6-600-302-01 | IC RH-80535GC0251MSL6FA | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| | 6-600-335-01 | IC RH-80535NC0155L6N7 | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| | 6-600-366-01 | IC RH-80536GC0212MSL7C | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| | 6-600-343-01 | IC RH-80536GC0292MSL7EP | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| | 6-600-306-01 | IC RH-80536GC0332MSL7EN | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| | 6-600-355-01 | IC RH-80536GC0252MSL7EG | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| | 6-706-559-01 | IC RH-80536GC0412MSL7EM | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| | 6-706-572-01 | IC RH-80535NC017512 | ● | ● | | | | | | | | | | | | | | | | | | | | | | | |
| 329 | 1-761-864-14 # | WIRELESS LAN CARD | △ | △ | △ | △ | △ | △ | △ | △ | △ | △ | △ | △ | △ | △ | △ | △ | △ | △ | △ | △ | △ | △ | △ | △ | |
| | 1-761-864-23 # | WIRELESS LAN CARD | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | |
| | 1-761-864-33 # | WIRELESS LAN CARD | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | |

- This parts list contains two different types of parts.
The first type is the parts that are common to all models.
The other type is the parts that are different depending on each model.
- この部品表は、機種共通の部品と、機種によって使い分けが必要な部品に分かれています。
- When change the CPU (ref. 316), refer to "Replacing the CPU" in CHAPTER 5.
- CPU (Ref. 316) を交換する際には、CHAPTER 5 の「Replacing the CPU」をご参照下さい。

△△△△△
[M1] [M1]

B-1. Bottom



Confidential

VGN-S50B/S70B/S90PS/S90S (J)
50P/S170/S170B/S170F/S170P (AM)

VGN-S150/S150F/S150FP/S150P/S170/S170B/S170F/S170P (AM)
VGN-S1HP/S1VP/S1XP (EU)
P/S16LP/S16SP/**S16TP**/S17C/S18CP/S18GP/S18LP/S18SP/S18TP (AO)

B-1. Bottom


| Ref. No. | Part No. | Description |
|----------------|-------------------------|--|
| 503 | X-4626-768-2 | ASSY ESCUTCHEON L |
| 505 | X-4626-767-2 | ASSY HOUSING BOTTOM |
| 506 | X-4626-769-2 | & ASSY LID DIMM |
| 507 | 2-024-006-01 | BRACKET DC JACK |
| * 508 | 4-683-189-02 | BRACKET HDD |
| * 509 | 4-683-190-01 | BRACKET KENJINGTON |
| * 510 | 4-683-231-01 | BRACKET OPT L |
| * 511 | 4-683-232-01 | BRACKET OPT R |
| * 512 | 4-683-191-02 | BRACKET PCCARD |
| * 513 | 4-683-192-01 | BRACKET VGA |
| 514 | 1-829-199-11 | CABLE, FLEXIBLE FLAT (18PIN) |
| 515 | 1-829-200-11 | CABLE, FLEXIBLE FLAT (50PIN) |
| 517 | A-1072-471-A \$ | COMPLETE PWB CNX-251 (S) |
| 518 | A-1072-472-A \$ | COMPLETE PWB CNX-261 (S) |
| 519 | 1-818-398-11 | CONNECTOR, FPC WITH PC CARD |
| 520 | 4-683-193-01 | COVER DOCK HOLE C  |
| 521 | 4-683-194-01 | COVER DOCK HOLE L  |
| 522 | 4-683-195-01 | COVER DOCK HOLE R  |
| 523 | 4-683-175-02 | DOOR DOCK CONN  |
| 524 | 4-683-196-01 | ESCUTCHEON R |
| 526 | 4-683-197-01 | & FOOT |
| 527 | 1-962-849-11 | HARNESS (DC JACK WITH 2P) |
| 528 | 4-683-177-01 | HINGE STOPPER L  |
| 529 | 2-025-254-01 | HINGE STOPPER R  |
| 530 | 1-862-745-11 | PWB, FLEXIBLE PRINT (HDD) |
| 531 | 4-683-188-01 | RUBBER DOOR MODEM |
| 532 | 4-683-186-01 | RUBBER DOOR USB |
| 533 | 2-023-589-01 | SHEET BOTTOM |
| 534 | 2-023-591-01 | SHEET HDD |
| 535 | 2-059-467-01 | SHEET OPT |
| 536 | 2-109-079-01 | TAPE FERRITE  |
| 537 | 4-659-711-12 | SHEET (BOSS) |
| 539 | 1-694-760-21 | JACK, SMALL TYPE |
| 540 | 1-694-760-41 | JACK, SMALL TYPE |
| 542 | 4-659-711-02 | SHEET (BOSS) |
| B1 | 4-672-834-71 | & SCREW, +B EG GRIP |
| B4 | 4-672-834-51 | SCREW, +B EG GRIP |
| B6 | 4-674-716-01 | SCREW (NO.4-40) (UNC) |
| B7 | 4-671-538-01 | SCREW(M2X4), SPECIAL HEAD |
| B8 | 4-672-839-01 | HEAD, M3 FLAT |
| B9 | 4-673-648-01 | & GRIP, M2 (+B) (EG) |
| B10 | 2-050-180-01 | +SCRFW O2 +SPECIAL HEAD |

- This parts list contains two different types of parts.
The first type is the parts that are common to all models.
The other type is the parts that are different depending on each model.
- この部品表は、機種共通の部品と、機種によって使い分けが必要な部品に分かれています。

| | |
|---|---|
| | |
| [MA] [MA] [MA] | [MA] [MA] [MA] |

△ 1 2 1 1 2 5 4 4 4

L-1. LCD 13.3-inch WXGA (Brighter)



Confidential

VGN-S50B/S70B/S90PS/S90S (J)

S170/S170B/S170F/S170P (AM)

VGN-S150/S150F/S150FP/S150P/S170/S170B/S170F/S170P (AM) VGN-S350B/S370B/S390FS/S390S (J)

VGN-S11HP/S11VP/S11XP (EU)
VGN-S16C/S16GP/S16LP/S16SP/**S16TP**/S17C/S18CP/S18GP/S18LP/S18SP/S18TP (AO)


L-1. LCD 13.3-inch WXGA (Brighter)

| Ref. No. | Part No. | Description |
|----------|-------------------|------------------------------------|
| 13 | 4-662-881-02 | CUSHION, KEY BOARD |
| 1001 | A-1072-481-A | LCD UNIT (13.3 WXGA TFT) |
| * | 1002 4-683-218-01 | BRACKET LCD L |
| * | 1003 4-683-219-01 | BRACKET LCD R |
| 1004 | 4-673-031-01 | COPPER TAPE(LCD) |
| 1005 | 4-683-220-01 | & COVER DISPLAY SCREW LO |
| 1006 | 4-683-221-01 | & COVER DISPLAY SCREW UP |
| 1007 | 4-683-222-01 | COVER HINGE L |
| 1008 | 4-683-223-01 | COVER HINGE R |
| 1009 | 4-683-224-01 | & CUSHION BEZEL |
| 1010 | 4-683-225-02 | HINGE L |
| 1011 | 4-683-226-02 | HINGE R |
| 1012 | 4-683-217-02 | HOUSING BEZEL |
| 1015 | 1-962-761-11 | LCD HARNESS |
| 1016 | A-1072-525-A | ASSY DISPLAY(S) |
| 1017 | 2-024-668-01 | MAGNET (LID) |
| 1018 | 2-067-394-01 | SHEET CABLE WLL |
| 1019 | 1-754-331-22 | ANTENNA (2.4/5GHZ FOR LEFT) |
| 1020 | 1-754-331-12 | ANTENNA (2.4/5GHZ FOR RIGHT) |
| 1021 | 1-400-255-11 | FERRITE CORE |
| 1022 | - | FILAMENT TAPE 12X30 |
| B3 | 4-672-836-01 | <&> SCREW ,M2 SPECIAL HEAD,EG GRIP |
| B4 | 4-672-834-51 | <&> SCREW ,+B EG GRIP |
| B7 | 4-671-538-01 | SCREW(M2X4), SPECIAL HEAD |

| Ref. No. | Part No. | Description | J | | AM | | EU | | AO | |
|----------|--------------|---------------------|------|------|-------|-------|--------|--------|-------|-------|
| | | | S70B | S50B | S90S* | S150P | S170P* | S150FP | S150F | S170P |
| 1013 | 1-477-753-11 | INVERTER UNIT | ● | ● | ● | ● | ● | ● | ● | ● |
| | 1-478-283-11 | INVERTER UNIT | ● | ● | ● | ● | ● | ● | ● | ● |
| 1014 | 2-103-533-01 | LABEL ID (JCT/OBTO) | ● | ● | ● | ● | ● | ● | ● | ● |
| | 2-103-533-11 | LABEL ID (JCT/OBTO) | ● | ● | ● | ● | ● | ● | ● | ● |
| MAI | 2-103-534-01 | LABEL ID | | ● | | | | | | |
| MAI | 2-103-534-11 | LABEL ID | | ● | | | | | | |
| MAI | 2-103-534-21 | LABEL ID | | ● | | | | | | |
| MAI | 2-103-534-31 | LABEL ID | | ● | | | | | | |
| MAI | 2-103-534-41 | LABEL ID | | ● | | | | | | |
| MAI | 2-103-534-51 | LABEL ID | | ● | | | | | | |
| MAI | 2-103-534-61 | LABEL ID | | ● | | | | | | |
| MAI | 2-103-535-01 | LABEL ID (U) | | ● | | | | | | |
| MAI | 2-103-536-11 | LABEL ID (U) | | ● | | | | | | |
| MAI | 2-103-536-21 | LABEL ID (U) | | ● | | | | | | |
| MAI | 2-103-536-31 | LABEL ID (U) | | ● | | | | | | |
| MAI | 2-103-536-41 | LABEL ID (U) | | ● | | | | | | |
| MAI | 2-103-536-51 | LABEL ID (U) | | ● | | | | | | |
| MAI | 2-103-536-61 | LABEL ID (C) | | ● | | | | | | |
| MAI | 2-103-536-71 | LABEL ID (C) | | ● | | | | | | |
| MAI | 2-103-536-81 | LABEL ID (C) | | ● | | | | | | |
| MAI | 2-103-537-01 | LABEL ID (U) | | ● | | | | | | |
| MAI | 2-103-537-11 | LABEL ID (U) | | ● | | | | | | |
| MAI | 2-103-537-21 | LABEL ID (U) | | ● | | | | | | |
| MAI | 2-103-537-31 | LABEL ID (U) | | ● | | | | | | |
| MAI | 2-103-537-41 | LABEL ID (U) | | ● | | | | | | |
| MAI | 2-103-537-51 | LABEL ID (U) | | ● | | | | | | |
| MAI | 2-103-537-61 | LABEL ID (U) | | ● | | | | | | |
| MAI | 2-103-537-71 | LABEL ID (I) | | ● | | | | | | |

- This parts list contains two different types of parts.
The first type is the parts that are common to all models.
The other type is the parts that are different depending on each model.
- この部品表は、機種共通の部品と、機種によって使い分けが必要な部品に分かれています。

L-2. LCD 13.3-inch WXGA



Confidential

VGN-S50B/S70B/S80PS/S80S (I)

VGN-330B/S/330B/S390FS/S390S (J)
50P/S170/S170B/S170E/S170P (AM)

VGN-S150/S150F/S150FP/S150P/S170/S170B/S170F/S170P (AM)
VGN-S1HP/S1VP/S1XP (EU)






L-2. LCD 13.3-inch WXGA

| Ref. No. | Part No. | Description |
|----------|-------------------|------------------------------------|
| 13 | 4-662-581-02 | CUSHION, KEY BOARD |
| * 1002 | 4-683-218-01 | BRACKET LCD L |
| * 1003 | 4-683-219-01 | BRACKET LCD R |
| 1004 | 4-673-031-01 | COPPER TAPE(LCD) |
| 1005 | 4-683-220-01 | & COVER DISPLAY SCREW LO |
| 1006 | 4-683-221-01 | & COVER DISPLAY SCREW UP |
| 1007 | 4-683-222-01 | COVER HINGE L |
| 1008 | 4-683-223-01 | COVER HINGE R |
| 1009 | 4-683-224-01 | & CUSHION BEZEL |
| 1010 | 4-683-225-02 | HINGE L |
| 1011 | 4-683-226-02 | HINGE R |
| 1012 | 4-683-217-02 | HOUSING BEZEL |
| 1015 | 1-962-761-11 | LCD HARNESS |
| 1016 | A-1072-525-A \$ | ASSY DISPLAY(S) |
| 1017 | 2-024-668-01 | MAGNET (LID) |
| 1018 | 2-067-394-01 | SHEET CABLE WLL |
| 1019 | 1-754-331-22 | ANTENNA (2.4/5GHZ FOR LEFT) |
| 1020 | 1-754-331-12 | ANTENNA (2.4/5GHZ FOR RIGHT) |
| 1021 | 1-400-255-11 | FERRITE CORE |
| 1022 | - | FILAMENT TAPE 12X30 |
| 1101 | A-1072-480-A \$ # | LCD UNIT (13.3 WXGA TFT) NORMAL |
| B3 | 4-672-836-01 | <&> SCREW, M2 SPECIAL HEAD,EG GRIP |
| B4 | 4-672-834-51 | <&> SCREW, +B EG GRIP |
| B7 | 4-671-538-01 | SCREW(M2X4), SPECIAL HEAD |

| Ref. No. | Part No. | Description | J | AM |
|----------|--------------|---------------------|--------|----|
| 1013 | 1-477-753-11 | INVERTER UNIT | S90PS* | |
| | 1-478-283-11 | INVERTER UNIT | S90S* | |
| 1014 | 2-103-533-01 | LABEL ID (U)TO(BTO) | S170* | |
| | 2-103-533-11 | LABEL ID (U)TO(BTO) | S170B* | |
| | 2-103-535-31 | LABEL ID (U) | S170P* | |
| | 2-103-535-41 | LABEL ID (U) | S170F* | |
| | 2-103-535-51 | LABEL ID (U) | S170 | |

- This parts list contains two different types of parts.
The first type is the parts that are common to all models.
The other type is the parts that are different depending on each model.
- この部品表は、機種共通の部品と、機種によって使い分けが必要な部品に分かれています。

A-1. Accessories



Ref. No. Part No. & Description
△ 2001 1-477-749-52 \$ & ADAPTOR, AC

| Ref. No. | Part No. | Description | J | S70B | S90S* | S90S' | S150P | S150 | S170* | AM | S170F* | S170P* | S150FP | S170F | S170P | EU | S11P | S11P* | S18GP | S16GP | S18LP | S16LP | S18SP | S16SP | S18TP | S16TP | S18CP | S16CP | S17C | S16C |
|----------|----------------|--|---|------|-------|-------|-------|------|-------|----|--------|--------|--------|-------|-------|----|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|------|
| △ 2002 | 1-770-019-12 | & (UK)...ADAPTOR, CONVERSION PLUG 3P | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| △ 2003 | A-1072-505-A | \$ & BATTERY PACK BPS2 (J) (S) | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| △ 2004 | A-1072-506-A | \$ & BATTERY PACK BPS2 (U) (S) | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| △ 2005 | A-1072-507-A | \$ & BATTERY PACK BPS2 (E) (S) | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| △ 2006 | A-1072-509-A | \$ & BATTERY PACK BPL2 (U) (S) | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| △ 2007 | 1-823-935-51 | & CORD, AC POWER | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| △ 2008 | 1-555-074-32 | & CORD, POWER | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| △ 2009 | 1-575-131-61 | & CORD, POWER | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| △ 2010 | 1-757-562-21 | & CORD, POWER | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| △ 2011 | 1-782-476-22 | & CORD, POWER | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| △ 2012 | 1-780-732-32 | & CORD, POWER | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| △ 2013 | 1-823-947-32 | & POWER-SUPPLY CORD | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | - 2-059-851-01 | GETTING STARTED, PRO | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | - 2-059-850-11 | UK/LEFT/A/EC/Switzerland)...HW SPECS, PRO | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | - 2-059-850-21 | German/Switzerland)...HW SPECS, PRO | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | - 2-059-850-31 | (Belgium/French/Switzerland)...HW SPECS, PRO | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | - 2-059-850-41 | (Italian)...HW SPECS, PRO | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | - 2-059-850-51 | (Spanish)...HW SPECS, PRO | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | - 2-059-850-61 | (EFTA/Belgium)...HW SPECS, PRO | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | - 2-059-850-71 | (EFTA)...HW SPECS, PRO | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | - 2-025-264-01 | MANUAL (XP), INSTRUCTION | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | |
| △ 2014 | 2-102-956-11 | MANUAL (XP), INSTRUCTION | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| △ 2015 | 2-102-956-21 | MANUAL (XP), INSTRUCTION | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| △ 2016 | 2-102-956-41 | MANUAL (XP), INSTRUCTION | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| △ 2017 | 2-102-957-31 | MANUAL (XP), INSTRUCTION | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | - 1-816-429-12 | (UK)...PHONE PLUG (GB) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | - 2-055-463-01 | QUICK START_2880 UC0 (SD) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | - 2-055-462-01 | QUICK START_2880 UL (SD) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | - 2-050-186-01 | QUICK START_2880 U (D) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | - 2-102-834-01 | (Switzerland)...MULTI MS WORKS COA (C) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

- This parts list contains two different types of parts.
The first type is the parts that are common to all models.
The other type is the parts that are different depending on each model.
- この部品表は、機種共通の部品と、機種によって使い分けが必要な部品に分かれています。



CHAPTER 5.


OTHER

5-1. The Barcode Label


The hatched portion of the barcode is used as the repair data.

バーコード ラベルの網掛け部は、修理データとして使用いたします。


[MBX-109 Board]
(Side A)




[MBX-109 Board]
(Side B)




[LCD Unit]
(Rear)




[MM-9 Board]
(Side A)




[MM-11 Board]
(Side A)




[Keyboard Unit]
(Rear)




[Drive]
(Top)




[HDD (TOSHIBA)]
(Top)




[HDD (HITACHI)]
(Top)




[HDD (HITACHI / IBM)]
(Top)



[W-LAN Card (intel)]



[W-LAN Card (ambit)]



- A : Part No.
- B : Serial No.
- C : Revision No.
- D : Maker Barcode
- E : Global User ID (iLink)
- F : Mac Address

Confidential

VGN-S50B/S70B/S90PS/S90S (J)
VGN-S150/S150F/S150FP/S150P/S170/S170B/S170F/S170P (AM)
VGN-S11P/S1VP/S1XP (EU)

VGN-S16C/S16GP/S16LP/S16SP/S16TP/S17C/S18CP/S18GP/S18LP/S18SP/S18TP (AO)

5-2. Replacing the CPU


Note: We have two kinds of CPU for this set, and either of them is used.

Two kinds of CPU have differences in the lock position and the unlock position.

1. Socket configuration 1


1. How to remove the CPU

- ① Rotate the lock with a flat-blade screwdriver toward the unlock position shown in the figure.
- ② Remove up the CPU.



2. How to install the CPU

- ① Position the mark on the CPU to the mark on the CPU socket and put in all pins to the holes on the CPU socket.
- ② Pressing two corners marked with \bigcirc in the figure, rotate the lock with a flat-blade screwdriver toward the lock position.




Note: Lock the CPU properly, or operation becomes unstable.

2. Socket configuration 2


1. How to remove the CPU

- ① Rotate the lock with a flat-blade screwdriver toward the unlock position shown in the figure.
- ② Remove up the CPU.



2. How to install the CPU

- ① Position the mark on the CPU to the mark on the CPU socket and put in all pins to the holes on the CPU socket.
- ② Pressing two corners marked with \bigcirc in the figure, rotate the lock with a flat-blade screwdriver toward the lock position.



Note: Lock the CPU properly, or operation becomes unstable.

Confidential

VGN-S50B/S70B/S90PS/S90S (J)

VGN-S150/S150F/S150FP/S150P/S170/S170B/S170F/S170P (AM)

VGN-S11P/S1VP/S1XP (EU)

VGN-S16C/S16GP/S16LP/S16SP/S16TP/S17C/S18CP/S18GP/S18LP/S18SP/S18TP (AO)



VGN-S50B/S70B/S90PS/S90S (J)

VGN-S150/S150F/S150FP/S150P/S170/S170B/S170F/S170P (AM)

VGN-S1HP/S1VP/S1XP (EU)

VGN-S16C/S16GP/S16LP/S16SP/**S16TP**/S17C/S18CP/S18GP/S18LP/S18SP/S18TP (AO)

List of VGN S Series (As of August, 2004)

| Service Manual Part No. | Model Name | | | |
|----------------------------|------------|------------|----------|------------------|
| | J | AM | EU | AO |
| 9-876-369-XX | VGN-S50B | VGN-S150 | VGN-S1HP | VGN-S16C |
| | VGN-S70B | VGN-S150F | VGN-S1VP | VGN-S16GP |
| | VGN-S90PS* | VGN-S150FP | VGN-S1XP | VGN-S16LP |
| | VGN-S90S* | VGN-S150P | | VGN-S16SP |
| | VGN-S170* | VGN-S170* | | VGN-S16TP |
| | VGN-S170B* | VGN-S170B* | | VGN-S17C |
| | VGN-S170F | VGN-S170F | | VGN-S18CP |
| | VGN-S170P* | VGN-S170P* | | VGN-S18GP |
| | | | | VGN-S18LP |
| | | | | VGN-S18SP |
| | | | | VGN-S18TP |

* : CTO Model

: Additional Models

This manual and the constituent data may not be replicated, copied nor reprinted in whole or in part without prior written authorization of Sony Corporation.

本マニュアルの一部、または全部について、無断でデータの複製、複写、転載することを禁じます。

Revision History

| Suffix | Ver. | Date | Contents | QM No. |
|-----------|--------|------------|---|-------------|
| -01 | Ver. 1 | 2004.06.25 | First Edition | |
| -02 | Ver. 2 | 2004.07.05 |  Front Page (Model Lineup), Page 1-1 to 1-2, Page 4-1, Page 4-3, Page 4-5, Page 4-7, Page 4-9, Page 4-12, Back Cover | N2004_074AK |
| -03 | Ver. 3 | 2004.07.20 |  Front Page (Model Lineup), Page 1-2, Page 4-1, Page 4-3, Page 4-5, Page 4-7, Page 4-9, Page 4-12, Back Cover | N2004_081AK |
| -04 | Ver. 4 | 2004.07.22 |  3 Page 4-2 to 4-3, Page 4-6 to 4-7 | N2004_089CK |
| -05 | Ver. 5 | 2004.08.02 |  4 Front Page (Model Lineup), Page 1-2, Page 4-1, Page 4-3, Page 4-5, Page 4-7, Page 4-9, Page 4-12, Back Cover | N2004_091AK |
| -06 | Ver. 6 | 2004.08.19 |  5 Front Page (Model Lineup), Page 1-2, Page 4-1, Page 4-3, Page 4-5, Page 4-7, Page 4-9, Page 4-12, Back Cover | N2004_099AK |
| <Remarks> | | | | |

[Confidential]

VGN-S50B/S70B/S90PS/S90S (J)

VGN-S150/S150F/S150FP/S150P/S170/S170B/S170F/S170P (AM)

VGN-S1HP/S1VP/S1XP (EU)

VGN-S16C/S16GP/S16LP/S16SP/**S16TP**/S17C/S18CP/S18GP/S18LP/S18SP/S18TP (AO)